ELSEVIER

Synthetic Metals 104 (1999) 211

SYNTHETIC METALS

Author Index of Volume 104

Abel, M.-L., 51
Achar, B.N., 101
Akbulut, U., 45
Al-Mohamad, A., 39
Allaf, A.W., 39
Armes, S.P., 51
Arora, V., 137

Beggiato, G., 169
Bertinelli, F., 1
Bouchoms, I.P.M., 175

Camaioni, N., 169
Can, M., 9
Casalbore-Miceli, G., 169
Chandra, S., 137
Chehimi, M.M., 51
Choi, M.H., 95
Chung, I.J., 95
Costa-Bizzarri, P., 1

Daniel, H., 89
Danilovic, B., 157
Delamar, M., 51
Della-Casa, C., 1
Dimitriev, O.P., 27
Ding, L., 73
Drechsler, S.-L., 197

Getsko, O.M., 27
Grande, H., 107
Gregory, R.V., 73
Guo, L., 129

Heinz, G., 61
Hong, Z., 165
Hosaka, T., 33
Hu, W., 19

Iarossi, D., 1
Isa, I., 33
Ishiguro, T., 179

Jandl, S., 157
Jayasree, P.K., 101
Jeon, B.H., 95

Kilmartin, P.A., 145
Kim, S., 95
Kittel, A., 61
Kizilyar, N., 45
Klapwijk, T.M., 175

Lanzi, M., 1
Lascelles, S.F., 51
Lee, D.S., 119
Lee, J.Y., 119
Lee, Y.H., 119
Li, C., 113
Li, W., 165
Liang, C., 165
Liang, Y., 113, , 129
Liu, S., 19
Liu, X., 165
Liu, Y., 19

Málek, J., 197
Mansingh, A., 137
Martins Alves, M.C., 89
Masui, T., 179
Mucci, A., 1

Nguyen, P.H., 197

Oshima, M., 33
Özden, M.Y., 45

Paasch, G., 197
Parisi, J., 61
Paul, R.K., 189
Pekmez, K., 9
Pekmez, N., 9
Peng, J., 165
Pernaut, J.M., 89
Perruchot, C., 51
Petit, A., 79
Pillai, C.K.S., 189
Pla, F., 79
Poirier, M., 157
Pokrovskii, V.Ya., 61
Pomposo, J.A., 107
Porto, A.O., 89
Prévost, V., 79

Rodríguez, J., 107

Schenetti, L., 1
Schilling, P.J., 89
Schoonveld, W.A., 175
Shi, G., 113, , 129
Shim, W.S., 119
Singh, R., 137

Tandon, R.P., 137
Toppare, L., 45
Truong, K.D., 157
Tsukamoto, J., 179

Vijayanathan, V., 189
Vrijmoeth, J., 175

Wang, X., 73
Wright, G.A., 145

Xu, Y., 19

Yağci, Y., 45
Yamamoto, H., 33
Yeo, I.-H., 119
Yildiz, A., 9

Zhao, D., 165, , 165
Zhou, S., 19
Zhu, D., 19

ELSEVIER

Synthetic Metals 104 (1999) 213–215

SYNTHETIC METALS

Subject Index of Volume 104

AC conductivity
Dielectric spectroscopy of doped polyaniline, 137
Acetonitrile
Electropolymerization of acetonitrile solutions containing aniline and thiophene, 9
Acid–base interactions
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Aggregation
Competition between aggregate formation and conformational changes of polyaniline in binary solutions studied by electronic absorption spectroscopy, 27
o-Alkoxysulfonated aniline
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
Aluminum–zirconium alloy
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
Aniline
Electropolymerization of acetonitrile solutions containing aniline and thiophene, 9
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
Atomic force microscopy
Morphology identification of the thin film phases of vacuum evaporated pentacene on SIO_2 substrates, 175

κ-$(BEDT\text{-}TTF)_2Cu(N(CN)_2)Cl$
Raman and FTIR studies of phase transitions in the organic superconductor κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Cl$, 157
Bipolarons
Equilibrium theory of space charge layers in conjugated polymers. II. The transition to high densities, 197
Boron trifluoride diethyl etherate
Electrochemical synthesis of free-standing poly(*para*-phenylene) films in composite electrolytes of boron trifluoride diethyl etherate and sulfuric acid, 113

C_{60}
Fullerene-60 thin films for electronic applications, 39
Charge density wave
Spatial structure formation in charge density wave systems, 61
Chemical oxidation
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
Concentrated sulfuric acid
Electrochemical synthesis of free-standing poly(*para*-phenylene) films in composite electrolytes of boron trifluoride diethyl etherate and sulfuric acid, 113
Conducting polymer
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
Photoelectrochemistry and spectroscopy of substituted polyanilines, 145
Conducting polymers
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
X-ray absorption spectroscopy of iron-doped conducting polymers, 89
Conductivity
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Conformational changes
Competition between aggregate formation and conformational changes of polyaniline in binary solutions studied by electronic absorption spectroscopy, 27
Conjugated polymers
Equilibrium theory of space charge layers in conjugated polymers. II. The transition to high densities, 197
Copolymerization
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
Cross-linking
Thermal properties of chemically synthesized polyaniline (EB) powder, 73

Dehydrochlorination
Polyene films prepared by poly(ethylene glycol)s-catalyzed dehydrochlorination of poly(vinyl chloride): chemical and electrochemical properties, 129
Dielectric modulus
Dielectric spectroscopy of doped polyaniline, 137
Diode
The application of Langmuir–Blodgett films of a new asymmetrically substituted phthalocyanine, amino-tri-*tert*-butyl-phthalocyanine, in diodes and in all organic field-effect-transistors, 19
Dipolar origin
Dielectric spectroscopy of doped polyaniline, 137
Dispersive interactions
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Dodecylbenzene sulfonic acid
Synthesis and characterization of polyaniline–polycarbonate composites prepared by an emulsion polymerization, 95
Doping
Influence of the doping of the polymer on the dark and photoelectrical properties in the junction ITO/poly(4,4′-dipentoxy-2,2′-bithiophene)/aluminium, 169
Doping studies
Melt/solution processable conducting polyaniline: doping studies with a novel phosphoric acid ester, 189

Electrical conducting properties
Novel 'synthetic metals' based on symmetrically tetrasubstituted nickel phthalocyanines, 101

Elsevier Science S.A.

Electrical conductivity
Synthesis and characterization of polyaniline–polycarbonate composites prepared by an emulsion polymerization, 95
Electrolytic capacitor
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
Electronics devices
Fullerene-60 thin films for electronic applications, 39
Electronic spectra
Competition between aggregate formation and conformational changes of polyaniline in binary solutions studied by electronic absorption spectroscopy, 27
Electron spin resonance
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Electropolymerization
Electropolymerization of acetonitrile solutions containing aniline and thiophene, 9
Immobilization of invertase in conducting polypyrrole/polytetrahydrofuran graft polymer matrices, 45
EMI shielding
Polypyrrole-based conducting hot melt adhesives for EMI shielding applications, 107
EQCM
Polypyrrole/thermally sensitive polyelectrolyte composite (I), 119
Evaporation
Morphology identification of the thin film phases of vacuum evaporated pentacene on SiO_2 substrates, 175
EXAFS
X-ray absorption spectroscopy of iron-doped conducting polymers, 89

Fullerenes
Fullerene-60 thin films for electronic applications, 39

Glass transition
Thermal properties of chemically synthesized polyaniline (EB) powder, 73

Hot melt adhesives
Polypyrrole-based conducting hot melt adhesives for EMI shielding applications, 107

Immobilization
Immobilization of invertase in conducting polypyrrole/polytetrahydrofuran graft polymer matrices, 45
Inverse gas chromatography
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Invertase
Immobilization of invertase in conducting polypyrrole/polytetrahydrofuran graft polymer matrices, 45
Iron
X-ray absorption spectroscopy of iron-doped conducting polymers, 89
ITO/poly(4,4′-dipentoxy-2,2′-bithiophene)/aluminium
Influence of the doping of the polymer on the dark and photoelectrical properties in the junction ITO/poly(4,4′-dipentoxy-2,2′-bithiophene)/aluminium, 169

Langmuir–Blodgett films
The application of Langmuir–Blodgett films of a new asymmetrically substituted phthalocyanine, amino-tri-*tert*-butyl-phthalocyanine, in diodes and in all organic field-effect-transistors, 19
Luminescence
Spectrally-narrow blue light-emitting organic electroluminescent devices utilizing thulium complexes, 165

Melt/solution processability
Melt/solution processable conducting polyaniline: doping studies with a novel phosphoric acid ester, 189
Modulated DSC
Thermal properties of chemically synthesized polyaniline (EB) powder, 73

Nuclear magnetic resonance
Spectroscopic comparison between poly[3-(6-methoxyhexyl)-thiophene]s with different steric hindrance, 1

Optical
Fullerene-60 thin films for electronic applications, 39
Organic light-emitting diodes
Spectrally-narrow blue light-emitting organic electroluminescent devices utilizing thulium complexes, 165

Pentadecylphenylphosphoric acid
Melt/solution processable conducting polyaniline: doping studies with a novel phosphoric acid ester, 189
Photocurrent
Photoelectrochemistry and spectroscopy of substituted polyanilines, 145
Phthalocyanine
The application of Langmuir–Blodgett films of a new asymmetrically substituted phthalocyanine, amino-tri-*tert*-butyl-phthalocyanine, in diodes and in all organic field-effect-transistors, 19
Polarons
Equilibrium theory of space charge layers in conjugated polymers. II. The transition to high densities, 197
Polyacetylene
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Polyaniline
Competition between aggregate formation and conformational changes of polyaniline in binary solutions studied by electronic absorption spectroscopy, 27
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Thermal properties of chemically synthesized polyaniline (EB) powder, 73
Synthesis and characterization of polyaniline–polycarbonate composites prepared by an emulsion polymerization, 95
Dielectric spectroscopy of doped polyaniline, 137
Melt/solution processable conducting polyaniline: doping studies with a novel phosphoric acid ester, 189
Polycarbonate
Synthesis and characterization of polyaniline–polycarbonate composites prepared by an emulsion polymerization, 95
Polycrystalline thin films
Morphology identification of the thin film phases of vacuum evaporated pentacene on SiO_2 substrates, 175
Polyelectrolyte
Polypyrrole/thermally sensitive polyelectrolyte composite (I), 119
Polyene film
Polyene films prepared by poly(ethylene glycol)s-catalyzed dehydrochlorination of poly(vinyl chloride): chemical and electrochemical properties, 129
Poly(ethylene glycol)s
Polyene films prepared by poly(ethylene glycol)s-catalyzed dehydrochlorination of poly(vinyl chloride): chemical and electrochemical properties, 129

Polymer
Influence of the doping of the polymer on the dark and photoelectrical properties in the junction ITO/poly(4,4′-dipentoxy-2,2′-bithiophene)/aluminium, 169
Poly[3-(6-methoxyhexyl)-2,2′-bithiophene]
Spectroscopic comparison between poly[3-(6-methoxyhexyl)-thiophene]s with different steric hindrance, 1
Poly(3-octyl thiophene)
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Poly(*para*-phenylene)
Electrochemical synthesis of free-standing poly(*para*-phenylene) films in composite electrolytes of boron trifluoride diethyl etherate and sulfuric acid, 113
Polypyrrole
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
Immobilization of invertase in conducting polypyrrole/polytetrahydrofuran graft polymer matrices, 45
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Polypyrrole-based conducting hot melt adhesives for EMI shielding applications, 107
Polypyrrole/thermally sensitive polyelectrolyte composite (I), 119
Polytetrahydrofuran
Immobilization of invertase in conducting polypyrrole/polytetrahydrofuran graft polymer matrices, 45
Poly(vinyl chloride)
Polyene films prepared by poly(ethylene glycol)s-catalyzed dehydrochlorination of poly(vinyl chloride): chemical and electrochemical properties, 129

Raman
Photoelectrochemistry and spectroscopy of substituted polyanilines, 145

Scanning electron microscope
Spatial structure formation in charge density wave systems, 61
Self-doping
Studies on chemical oxidative copolymerization of aniline and *o*-alkoxysulfonated anilines: I. Synthesis and characterization of novel self-doped polyanilines, 79
Solar cells
Fullerene-60 thin films for electronic applications, 39
Solid electrolyte
Solid electrolytic capacitors using an aluminum alloy electrode and conducting polymers, 33
Solid–liquid two-phase
Polyene films prepared by poly(ethylene glycol)s-catalyzed dehydrochlorination of poly(vinyl chloride): chemical and electrochemical properties, 129
Solvatochromism
Spectroscopic comparison between poly[3-(6-methoxyhexyl)-thiophene]s with different steric hindrance, 1
Space charge layers
Equilibrium theory of space charge layers in conjugated polymers. II. The transition to high densities, 197
Specific heat
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Spin-gap behavior
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Stainless steel
Electrochemical synthesis of free-standing poly(*para*-phenylene) films in composite electrolytes of boron trifluoride diethyl etherate and sulfuric acid, 113
Stretching modes
Raman and FTIR studies of phase transitions in the organic superconductor κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Cl, 157
Sublimation
Morphology identification of the thin film phases of vacuum evaporated pentacene on SiO_2 substrates, 175
Substituted polyanilines
Photoelectrochemistry and spectroscopy of substituted polyanilines, 145
Superconductors
Raman and FTIR studies of phase transitions in the organic superconductor κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Cl, 157
Surface energy
The determination of the surface energy of conducting polymers by inverse gas chromatography at infinite dilution, 51
Synthetic metals
Novel 'synthetic metals' based on symmetrically tetrasubstituted nickel phthalocyanines, 101

Tetrasubstituted nickel phthalocyanines
Novel 'synthetic metals' based on symmetrically tetrasubstituted nickel phthalocyanines, 101
Thermally sensitive polymer
Polypyrrole/thermally sensitive polyelectrolyte composite (I), 119
Thermal transition
Thermal properties of chemically synthesized polyaniline (EB) powder, 73
Thermopower
Spin susceptibility and its relationship to structure in perchlorate doped polyacetylene in the intermediate dopant-concentration region, 179
Thermovoltage
Spatial structure formation in charge density wave systems, 61
Thin films
Fullerene-60 thin films for electronic applications, 39
Thiophene
Electropolymerization of acetonitrile solutions containing aniline and thiophene, 9
Thulium complexes
Spectrally-narrow blue light-emitting organic electroluminescent devices utilizing thulium complexes, 165
Transistor
The application of Langmuir–Blodgett films of a new asymmetrically substituted phthalocyanine, amino-tri-*tert*-butyl-phthalocyanine, in diodes and in all organic field-effect-transistors, 19
Transition temperature
Polypyrrole/thermally sensitive polyelectrolyte composite (I), 119

XPS
Photoelectrochemistry and spectroscopy of substituted polyanilines, 145
X-ray diffraction
Morphology identification of the thin film phases of vacuum evaporated pentacene on SiO_2 substrates, 175